




ЕНЕРДЖИ ГРУП ООД

Подови кабелни скарни




**UNDERFLOOR
CABLE TRAY SYSTEMS**

Системи за електрически кабелни скарни

www.abelectric.bg
www.abenergygroup.bg

Underfloor Cable Trays H30



Подови кабелни скари H30



Pre - Galvanized

CODE	Width a mm	Length L mm	kg 1m	pcs
DAK 308 12 PG	80	3000	2.56	1
DAK 312 12 PG	120	3000	3.72	1
DAK 316 12 PG	160	3000	4.47	1
DAK 320 12 PG	200	3000	5.54	1
DAK 324 12 PG	240	3000	6.33	1
DAK 330 12 PG	300	3000	7.46	1

Mounting Samples



APPLICATIONS

Cable routing

MATERIAL

Steel, strip-galv. acc. to the Sendzimir method to TS-EN 10346:2011 (PG)

Available finishes:

HDG-steel, hot-dip galv. to TS-EN ISO 1461:2011 (HDG)

SS- stainless steel AISI 304L and AISI 316L (SS)

EP- powder coating in a full range of colours (RAL)

Accessories

Straight Connector (Underfloor)





Stop End (Underfloor)




Level Adjustment Elements



DAK



DBSA & DAA COMMON USAGE



Socket Case


Калъф за бука



BUAT				
CODE	Height H mm	Socket Place mm	kg 1 pc	
BPK 8	80	8+2	1,200	

Junction Box (18 Modules)


Dağıtım Buatı (18 Modül)



BUAT				
CODE	Height H mm	Socket Place mm	kg 1 pc	
BUAT 35 8	65-90	8+2	3,0	


Empty Junction Box

Празна съединителна кутия




DBB				
CODE	Height H mm	Size mm	kg 1 pc	
DBB 35 8	65	350x350	1,9	


BUAT 35 8 (MOUNTING EXAMPLE)




1 Comp. Steel Cable Trunkings - Quick Fix Lid




2 Comp. Steel Cable Trunkings - Quick Fix Lid




3 Comp. Steel Cable Trunkings - Quick Fix Lid




Top Lid 90° Bend - Gusset - Quick Fix




Inside Lid 90° Bend - Gusset - Quick Fix




Outside Lid 90° Bend - Gusset - Quick Fix




Top Lid 45° Bend - Quick Fix




Inside Lid 45° Bend - Quick Fix




Outside Lid 45° Bend - Quick Fix




Top Lid Tee Bend - Gusset - Quick Fix




Inside Lid Tee Bend - Gusset - Quick Fix




Outside Lid Tee - Gusset - Quick Fix




Top Lid crossover - Gusset - Quick Fix




Reducer - Quick Fix




Bellmouth - Quick Fix




U Type Connector




Fitting Adapter - Quick Fix




Stop End



Earth Link



Trunking Single Threaded Rod Hanger



Flange (angle) connector (pair)

